


GRAPAS



RF Cable Clamp

Outside RF Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008067	10-11mm Single Cable Clamp	3/8" LMR-400 RG8/AU
6008068	10-11mm Double Cable Clamp	
6008069	10-11mm Triple Cable Clamp	
6008073	15-16mm Single Cable Clamp	1/2"
6008074	15-16mm Double Cable Clamp	
6008075	15-16mm Triple Cable Clamp	
6008079	27-28mm Single Cable Clamp	7/8"
6008080	27-28mm Double Cable Clamp	
6008081	27-28mm Triple Cable Clamp	
6008085	39-40mm Single Cable Clamp	1-1/4"
6008086	39-40mm Double Cable Clamp	
6008087	39-40mm Triple Cable Clamp	
6008091	49-50mm Single Cable Clamp	1-5/8"
6008092	49-50mm Double Cable Clamp	
6008093	49-50mm Triple Cable Clamp	

Inside RF Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008071	10-11mm Single Cable Clamp	3/8" LMR-400 RG8/AU
6008072	10-11mm Double Cable Clamp	
6008073	10-11mm Triple Cable Clamp	
6008076	15-16mm Single Cable Clamp	1/2"
6008077	15-16mm Double Cable Clamp	
6008078	15-16mm Triple Cable Clamp	
6008082	27-28mm Single Cable Clamp	7/8"
6008083	27-28mm Double Cable Clamp	
6008084	27-28mm Triple Cable Clamp	
6008088	39-40mm Single Cable Clamp	1-1/4"
6008089	39-40mm Double Cable Clamp	
6008090	39-40mm Triple Cable Clamp	
6008094	49-50mm Single Cable Clamp	1-5/8"
6008095	49-50mm Double Cable Clamp	
6008096	49-50mm Triple Cable Clamp	

RF Cable Clamp

Outside Double RF Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008219	10-11mm Single Cable Clamp	3/8" LMR-400 RG8/AU
6008220	10-11mm Double Cable Clamp	
6008221	10-11mm Triple Cable Clamp	
6008222	15-16mm Single Cable Clamp	1/2"
6008223	15-16mm Double Cable Clamp	
6008224	15-16mm Triple Cable Clamp	
6008225	27-28mm Single Cable Clamp	7/8"
6008226	27-28mm Double Cable Clamp	
6008227	27-28mm Triple Cable Clamp	
6008228	39-40mm Single Cable Clamp	1-1/4"
6008229	39-40mm Double Cable Clamp	
6008230	39-40mm Triple Cable Clamp	
6008231	49-50mm Single Cable Clamp	1-5/8"
6008232	49-50mm Double Cable Clamp	
6008233	49-50mm Triple Cable Clamp	

Inside Double RF Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008234	10-11mm Single Cable Clamp	3/8" LMR-400 RG8/AU
6008235	10-11mm Double Cable Clamp	
6008236	10-11mm Triple Cable Clamp	
6008237	15-16mm Single Cable Clamp	1/2"
6008238	15-16mm Double Cable Clamp	
6008239	15-16mm Triple Cable Clamp	
6008240	27-28mm Single Cable Clamp	7/8"
6008241	27-28mm Double Cable Clamp	
6008242	27-28mm Triple Cable Clamp	
6008243	39-40mm Single Cable Clamp	1-1/4"
6008244	39-40mm Double Cable Clamp	
6008245	39-40mm Triple Cable Clamp	
6008246	49-50mm Single Cable Clamp	1-5/8"
6008247	49-50mm Double Cable Clamp	
6008248	49-50mm Triple Cable Clamp	

DC&FO Cable Clamp

Outside DC&FO Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008259	FO(4-7mm)+DC(9-14mm) Single Cable Clamp	FO 4-7mm DC 2x10mm ² DC 2x6mm ²
6008260	FO(4-7mm)+DC(9-14mm) Double Cable Clamp	
6008261	FO(4-7mm)+DC(9-14mm) Triple Cable Clamp	
6008262	FO(4-7mm)+DC(13-14mm) Single Cable Clamp	FO 4-7mm DC 2x10mm ²
6008263	FO(4-7mm)+DC(13-14mm) Double Cable Clamp	
6008264	FO(4-7mm)+DC(13-14mm) Triple Cable Clamp	
6008265	FO(4-7mm)+DC(16-17mm) Single Cable Clamp	FO 4-7mm DC 2x16mm ²
6008266	FO(4-7mm)+DC(16-17mm) Cable Clamp	
6008267	FO(4-7mm)+DC(16-17mm) Cable Clamp	
6008268	FO(4-7mm)+DC(19-20mm) Single Cable Clamp	FO 4-7mm DC 19-20mm
6008269	FO(4-7mm)+DC(19-20mm) Double Cable Clamp	
6008270	FO(4-7mm)+DC(19-20mm) Triple Cable Clamp	



Inside DC&FO Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008271	FO(4-7mm)+DC(9-14mm) Single Cable Clamp	FO 4-7mm DC 2x10mm ² DC 2x6mm ²
6008272	FO(4-7mm)+DC(9-14mm) Double Cable Clamp	
6008273	FO(4-7mm)+DC(9-14mm) Triple Cable Clamp	
6008274	FO(4-7mm)+DC(13-14mm) Single Cable Clamp	FO 4-7mm DC 2x10mm ²
6008275	FO(4-7mm)+DC(13-14mm) Double Cable Clamp	
6008276	FO(4-7mm)+DC(13-14mm) Triple Cable Clamp	
6008277	FO(4-7mm)+DC(16-17mm) Single Cable Clamp	FO 4-7mm DC 2x16mm ²
6008278	FO(4-7mm)+DC(16-17mm) Cable Clamp	
6008279	FO(4-7mm)+DC(16-17mm) Cable Clamp	
6008280	FO(4-7mm)+DC(19-20mm) Single Cable Clamp	FO 4-7mm DC 19-20mm
6008281	FO(4-7mm)+DC(19-20mm) Double Cable Clamp	
6008282	FO(4-7mm)+DC(19-20mm) Triple Cable Clamp	



DC&FO Cable Clamp

Outside DC&2xFO Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008283	2xFO(4-7mm)+DC(9-14mm) Single Cable Clamp	FO 4-7mm DC 9-14mm
6008284	2xFO(4-7mm)+DC(9-14mm) Double Cable Clamp	
6008285	2xFO(4-7mm)+DC(9-14mm) Triple Cable Clamp	
6008286	2xFO(4-7mm)+DC(14-17mm) Single Cable Clamp	FO 4-7mm DC 14-17mm
6008287	2xFO(4-7mm)+DC(14-17mm) Double Cable Clamp	
6008288	2xFO(4-7mm)+DC(14-17mm) Triple Cable Clamp	
6008289	2xFO(4.8mm)+DC(9-14mm) Single Cable Clamp	FO 4.8mm DC 9-14mm
6008290	2xFO(4.8mm)+DC(9-14mm) Double Cable Clamp	
6008291	2xFO(4.8mm)+DC(9-14mm) Triple Cable Clamp	
6008292	2xFO(4.8mm)+DC(14-17mm) Single Cable Clamp	FO 4.8mm DC 14-17mm
6008293	2xFO(4.8mm)+DC(14-17mm) Double Cable Clamp	
6008294	2xFO(4.8mm)+DC(14-17mm) Triple Cable Clamp	

Inside DC&2xFO Cable Clamp

Function Description

Metal Parts Material	SS304	Salt Spray	≥48hours(IEC60068-2-11)
Plastic Blocks Material	PP	UV Resistance	720hours
Temperature	-40℃~+85℃	RoHS	Compliant

Item	Description	Cable
6008295	2xFO(4-7mm)+DC(9-14mm) Single Cable Clamp	FO 4-7mm DC 9-14mm
6008296	2xFO(4-7mm)+DC(9-14mm) Double Cable Clamp	
6008297	2xFO(4-7mm)+DC(9-14mm) Triple Cable Clamp	
6008298	2xFO(4-7mm)+DC(14-17mm) Single Cable Clamp	FO 4-7mm DC 14-17mm
6008299	2xFO(4-7mm)+DC(14-17mm) Double Cable Clamp	
6008300	2xFO(4-7mm)+DC(14-17mm) Triple Cable Clamp	
6008301	2xFO(4.8mm)+DC(9-14mm) Single Cable Clamp	FO 4.8mm DC 9-14mm
6008302	2xFO(4.8mm)+DC(9-14mm) Double Cable Clamp	
6008303	2xFO(4.8mm)+DC(9-14mm) Triple Cable Clamp	
6008304	2xFO(4.8mm)+DC(14-17mm) Single Cable Clamp	FO 4.8mm DC 14-17mm
6008305	2xFO(4.8mm)+DC(14-17mm) Double Cable Clamp	
6008306	2xFO(4.8mm)+DC(14-17mm) Triple Cable Clamp	

Cable Radiante

Grapa pared cono clip-Plastic

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PA6	UV Resistance	720hours
Temperature	-40°C~+80°C	RoHS	Compliant

Item	Description	Cable
6004113	1/2" Radiating Clamp Kit	1/2"
6003004	7/8" Radiating Clamp Kit	7/8"
6002124	1-1/4" Radiating Clamp Kit	1-1/4"
6003768	1-5/8" Radiating Clamp Kit	1-5/8"

Grapa pared cono clip-Metal

Function Description

Metal Parts Material	SS304	Salt Spray	≥ 48hours(IEC60068-2-11)
Plastic Blocks Material	PA6	UV Resistance	720hours
Temperature	-40°C~+80°C	RoHS	Compliant

Item	Description	Cable
6008307	1/2" RSB Radiating Clamp Kit	1/2"
6002992	7/8" RSB Radiating Clamp Kit	7/8"
6005190	1-1/4" RSB Radiating Clamp Kit	1-1/4"
6003769	1-5/8" RSB Radiating Clamp Kit	1-5/8"